



TROPICAL CROPS

MANGO, PINEAPPLE, AVOCADO, BANANA, COFFEE, COCOA - Maximise yield and protect tropical crops


High quality biological solutions to obtain maximum potential on modern farms. Our bioactive compounds are obtained using our exclusive **Enzyneer®** technology, which act on plants, quickly penetrating their metabolism and strengthening the necessary functions at any given time to optimise physiological processes.


TERRA-SORB RADICULAR

- **When?:** With the fertilisation programme.
- **Results in the field:** Stimulates absorbent hairs and improves the absorption of fertilisers.
- **Dose:** 10-15 litres/ha 





TERRA-SORB COMPLEX

- **When?:** Plant development and deficiency stress.
- **Results in the field:** Plants recover quickly from stress and growth of the plant.
- **Dose:** 2-3 litres/ha 





INICIUM

- **When?:** Plantation, start of root activity.
- **Results in the field:** Quick-starts root activity after transplant stress. More growth.
- **Foliar dose:** 10-12 litres/ha 





AMINOQUELANT - K low pH

- **When?:** During fruit development.
- **Results in the field:** Bigger fruit size, higher sugar content, more intense fruit colour.
- **Foliar dose:** 2-5 litres/ha 





AMINOQUELANT - CA

- **When?:** Before flowering and after fruit set.
- **Results in the field:** Improves flowering, fruit set and development without B and Ca deficiency disease.
- **Dose:** 2-5 litres/ha 





AMINOQUELANT RANGE

- **When?:** In cases of stress caused by specific deficiencies.
- **Results in the field:** Rapid physiological and deficiency correction.
- **Dose:** 2-4 litres/ha 



ARMUROX

- **When?:** Throughout the entire growth cycle.
- **Results in the field:** Reinforces plant tissues, making plants less susceptible to fungal pathogen agents.
- **Dose:** 3-8 litres/ha 





CERA TRAP

- **How to use:** For heavy trap density, hang 50 to 100 traps/ha, depending on the crop, at least 45 days before harvesting the fruit.



EQUILIBRIUM

- **When?:** Apply during the crop production period, encouraging flowering, setting and fruitification.
- **Results in the field:** Improves fruit set and increases yield.
- **Dose:** 2-3 mL/L 



Y204427/0219